



SHAFT DIAMETER: 230; GROOVE DIAMETER: 224 $\frac{+0.00}{-0.72}$
 SHAFT DIAMETER: 232; GROOVE DIAMETER: 226 $\frac{+0.00}{-0.72}$

GROOVE WIDTH: 5.15 MIN.
 MATERIAL: DIN 17 222/ DIN EN10132-4
 Ck 75/ C75S
 HARDNESS: 390-470 HV (40-47 HRC EQUIV.)

1 | 4/1 | | ECN 11-163

REV. NO.	DATE	REV. BY	ECN NUMBER				ROTOR CLIP CO., INC.		
REVISION						CUSTOMER DRAWING DSH-230			
WARNING: IF PRINTED, IT IS THE USERS RESPONSIBILITY TO CHECK THAT THIS DOCUMENT REFLECTS THE LATEST REVISION LEVEL.									
ALL DIMENSIONS ARE IN MILLIMETERS									
MATERIAL	HEAT TREAT	FINISH	QTY. REQ'D.	SCALE	DRAWN BY	DATE	FILENAME:		
THE CONTENTS OF THIS DRAWING ARE THE PROPERTY OF ROTOR CLIP CO. INC. AND SHALL BE RETURNED TO ROTOR CLIP CO. INC. UPON REQUEST. ANY UNAUTHORIZED DISCLOSURE OF ITS CONTENTS WITHOUT THE PERMISSION OF ROTOR CLIP CO. INC. IS PROHIBITED.				NONE	RDS	01/10/11			
				A			DSH-230-OIL-BS-2		